



# GYP SUM ASSOCIATION

6525 Belcrest Road, Suite 480, Hyattsville MD 20782

## PROPRIETARY GYPSUM PANEL PRODUCTS FOR USE IN UL CLASSIFIED SYSTEMS

(GA-605)

Rev. December 6, 2010

The *Fire Resistance Directory* published by Underwriters Laboratories Inc. lists gypsum panel products that are classified for fire resistance under category “Gypsum Board (CKNX).” Each UL Design lists the specific manufacturers and products that are suitable for use in the design. The products are identified with a Type designation that ties back to specific board formulations. The UL Type designation appears on the UL label on the product. However, gypsum board end tapes and product literature do not generally contain the UL type designation but a product name or trademark. The following tables provide a quick and easy reference to identify the specific products, brand names, or trademarks of each gypsum board manufacturer for each type designation in the *UL Directory*.

COMPANY NAME	PAGE
American Gypsum	1
CertainTeed Gypsum, Inc./CertainTeed Canada Inc.	2
Georgia-Pacific Gypsum	3
Lafarge North America	3
National Gypsum Company	4
PABCO Gypsum	4
Temple-Inland	5
United States Gypsum Company/CGC Inc.	6

<b>American Gypsum Company</b>	
UL Type Designation	Product Name
AG-C	1/2" FireBloc® Type C 5/8" FireBloc® Type C 5/8" FireBloc® Type C Soffit 1/2" M-Bloc® Type C with Mold Resistance 5/8" M-Bloc® Type C with Mold Resistance
AGX-1, AGX-11	5/8" FireBloc® Type X 5/8" AquaBloc® Type X 5/8" Exterior Sheathing Type X 5/8" Soffit Type X 5/8" Veneer Type X 5/8" SmoothRoc® Type X 5/8" M-Bloc® Type X with Mold Resistance 5/8" M-Bloc® AR Type X Abuse and Mold Resistance 5/8" M-Bloc® IR Type X Impact and Mold Resistance
AG-S	1" Shaft Liner 1" M-Bloc® Shaft Liner with Mold Resistance
AG-CP	1/2" FireBloc® CP Gypsum Lay-In Ceiling Panels

**CertainTeed Gypsum, Inc./CertainTeed Gypsum Canada Inc.**

<b>UL Type Designation</b>	<b>Product Name</b>
ProRoc Type X	5/8" ProRoc® Type X 5/8" ProRoc® Moisture Resistant Type X 5/8" ProRoc® Sheathing Treated Core Type X 5/8" ProRoc® Abuse Resistant Type X 5/8" ProRoc® Veneer Plaster Base Type X 5/8" ProRoc® 54" Type X 5/8" ProRoc® Evenwall Type X 5/8" ProRoc® Exterior Soffit Type X 5/8" M2Tech® Type X 5/8" M2Tech® Extra Abuse
ProRoc Type C	1/2" ProRoc® Type C 1/2" ProRoc® Moisture Resistant Type C 1/2" ProRoc® Sheathing Treated Core Type C 1/2" ProRoc® Veneer Plaster Base Type C 1/2" ProRoc® Exterior Soffit Type C 1/2" ProRoc® Abuse Resistant Type C 1/2" M2Tech® Type C 5/8" ProRoc® Type C 5/8" ProRoc® Moisture Resistant Type C 5/8" ProRoc® Sheathing Treated Core Type C 5/8" ProRoc® Veneer Plaster Base Type C 5/8" ProRoc® Exterior Soffit Type C 5/8" M2Tech® Type C
ProRoc Moisture Resistant Type X	5/8" ProRoc® Moisture Resistant Type X 5/8" M2Tech® Type X
ProRoc Moisture Resistant Type C	1/2" ProRoc® Moisture Resistant Type C 1/2" M2Tech® Type C 5/8" ProRoc® Moisture Resistant Type C 5/8" M2Tech® Type C
SilentFX	5/8" SilentFX™
Type EGRG or GlasRoc	5/8" GlasRoc® Sheathing 5/8" GlasRoc® Tile Backer Type X
ProRoc Shaftliner	1" ProRoc® Shaftliner 1" M2Tech® Shaftliner
ProRoc Type Abuse-Resistant	1/2" ProRoc® Abuse Resistant Board 5/8" ProRoc® Abuse Resistant Board
GlasRoc Shaftliner	1" GlasRoc® Shaftliner

<b>Georgia-Pacific Gypsum</b>	
<b>UL Type Designation</b>	<b>Product Name</b>
Type 5	1/2" ToughRock® Fireguard C™ Gypsum Board 5/8" ToughRock® Fireguard C™ Gypsum Board
Type 6	5/8" ToughRock® Fireguard® Moisture-Guard® Gypsum Board 5/8" ToughRock® Mold-Guard™ Gypsum Board
Type 9	5/8" ToughRock® Fireguard® Gypsum Board 5/8" ToughRock® Fireguard® Soffit Board 5/8" ToughRock® Fireguard® Veneer Plaster Base 5/8" ToughRock® Fireguard® Abuse-Resistant Gypsum Board
Type DGG	5/8" DensGlass® Fireguard® Sheathing
Type DD	5/8" DensDeck® Fireguard® Roof Board 5/8" DensDeck® Prime Roof Board 5/8" DensDeck® DuraGuard Roof Board
Type DS	5/8" DensShield® Fireguard® Tile Backer
Type DAP	5/8" DensArmor Plus® Fireguard® High-Performance Interior Panel 5/8" DensArmor Plus® Fireguard® Abuse-Resistant Interior Panel 5/8" DensArmor Plus® Fireguard® Impact-Resistant Interior Panel
Type DAPC	1/2" DensArmor Plus® Fireguard C™ Interior Panel 5/8" DensArmor Plus® Fireguard C™ Interior Panel
Type DGUSL	1" DensGlass® Shaftliner Panel

<b>Lafarge North America</b>	
<b>UL Type Designation</b>	<b>Product Name</b>
Type LGFC-C/A	1/2" Firecheck® Type C 5/8" Firecheck® Type C
Type LGFC2A	5/8" Fire Watercheck® Type X 5/8" Firecheck® Sheathing Type X 5/8" Mold Defense® Type X
Type LGFC6A	5/8" Firecheck® Type X 5/8" Firecheck® Plasterbase Type X 5/8" Firecheck® Soffitboard Type X 5/8" Protecta® AR 100 with Mold Defense® Type X 5/8" Protecta® HIR 300 with Mold Defense® Type X 5/8" Rapid Deco® Level 5 Type X
Type LGFC-WD	5/8" Weather Defense Platinum® Sheathing Type X
Type LGFCSL	1" Shaftliner – Type X 1" Mold Defense® Shaftliner – Type X 1" Weather Defense Platinum® Shaftliner

<b>National Gypsum Company</b>	
<b>UL Type Designation</b>	<b>Product Name</b>
Type FSW-C	1/2" Gold Bond® Brand Fire-Shield C™ Gypsum Board, Type C 1/2" Gold Bond® Brand Sta-Smooth® Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand Sta-Smooth® Fire-Shield C™ Gypsum Board, Type C
Type FSK-C	1/2" Kal-Kore® Brand Fire-Shield C™ Plaster Base, Type C 5/8" Kal-Kore® Brand Fire-Shield C™ Plaster Base, Type C
Type FSMR-C	1/2" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C
Type FSW-G	1/2" Gridstone Brand Ceiling Panels 1/2" Gridstone Brand CleanRoom Ceiling Panels
Type FSW	5/8" Gold Bond® Brand Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Fire-Shield® Exterior Soffit Board, Type X 5/8" Gold Bond® Brand Hi Abuse® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Sta-Smooth® Fire-Shield® Gypsum Board, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner®, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner XP®, Type X
Type FSK	5/8" Kal-Kore® Brand Fire-Shield® Plaster Base, Type X
Type FSW-3	5/8" Gold Bond® Brand Fire-Shield® Gypsum Sheathing, Type X 5/8" Gold Bond® Brand XP® Fire-Shield® Gypsum Board, Type X
Type FSW-5	5/8" Gold Bond® Brand Hi-Impact® XP® Fire-Shield® Gypsum Board, Type X
Type FSW-6	5/8" Gold Bond® Brand e <sup>2</sup> XP® Extended Exposure Sheathing, Type X 5/8" Gold Bond® Brand e <sup>2</sup> XP® Interior Extreme™ Gypsum Panel, Type X
Type FSW-7	1" Gold Bond® Brand e <sup>2</sup> XP® Extended Exposure Shaftliner, Type X

<b>PABCO Gypsum</b>	
<b>UL Type Designation</b>	<b>Product Name</b>
PG-3	PABCO® 1/2" FLAME CURB® Gypsum Wallboard Type XXX PABCO® 1/2" Gypsum Soffit Board Type XXX
PG-C	PABCO® 1/2" FLAME CURB® Super 'C' Gypsum Wallboard Type PG-C
Type C	PABCO® 5/8" FLAME CURB® Super 'C' Gypsum Wallboard Type C
PG-5W	PABCO® 5/8" WATER CURB® Gypsum Board Type X PABCO® 5/8" MOLD CURB® Plus Type X PABCO® 5/8" ABUSE CURB™ Type X
PG-5WS	PABCO® 5/8" Gypsum Sheathing Type X
PG-10	PABCORE® 1" Gypsum Shaftliner Board Type X PABCORE® 1" MOLD CURB® Plus Gypsum Shaftliner Board Type X
PG-11	PABCO® 5/8" Gypsum Soffit Board Type X PABCO® 5/8" FLAME CURB® Gypsum Wallboard Type X

## Temple-Inland

UL Type Designation	Product Name
Fire Rated Type TG-C	<ul style="list-style-type: none"> <li>½" Fire-Rated Gypsum Wallboard</li> <li>½" Stretch 54</li> <li>½" Foil-Back</li> <li>5/8" Fire-Rated Gypsum Wallboard</li> <li>5/8" Fire-Rated Stretch 54</li> <li>5/8" Fire-Rated Foil-Back</li> <li>5/8" Fire-Rated Veneer Plaster Base</li> <li>5/8" Fire-Rated Water Resistant Gypsum Backing Board</li> <li>5/8" Fire-Rated Gypsum Sheathing Board</li> <li>5/8" Fire-Rated Exterior Gypsum Soffit Board</li> <li>5/8" Fire-Rated Structguard TS Sheathing</li> <li>5/8" Fire-Rated Comfort Guard</li> </ul>
Fire Rated Type X	<ul style="list-style-type: none"> <li>5/8" Fire-Rated Gypsum Wallboard</li> <li>5/8" Fire-Rated Stretch 54</li> <li>5/8" Fire-Rated Foil-Back</li> <li>5/8" Fire-Rated Veneer Plaster Base</li> <li>5/8" Fire-Rated Water Resistant Gypsum Backing Board</li> <li>5/8" Fire-Rated Gypsum Sheathing Board</li> <li>5/8" Fire-Rated Exterior Gypsum Soffit Board</li> <li>5/8" Fire-Rated ComfortGuard AR</li> <li>5/8" Fire-Rated ComfortGuard IR</li> <li>5/8" Fire-Rated Structguard TS Sheathing</li> <li>5/8" Fire-Rated Comfort Guard</li> <li>5/8" ComfortGuard Sound Deadening Gypsum Board</li> <li>5/8" GreenGlass Sheathing</li> <li>5/8" GreenGlass Interior Board</li> <li>5/8" GreenGlass Tile Backer</li> <li>5/8" GreenGlass Roof Board</li> </ul>
Type TP6	<ul style="list-style-type: none"> <li>Silent Guard Shaftliner</li> <li>GreenGlass Shaftliner</li> </ul>

<b>United States Gypsum Company/CGC Inc.</b>	
<b>UL Type Designation</b>	<b>Product Name</b>
SCX	5/8" SHEETROCK® Brand FIRECODE® Core Gypsum Panels 5/8" SHEETROCK® Brand Mold Tough™ FIRECODE® Core Gypsum Panels
C	1/2" SHEETROCK® Brand FIRECODE® C Core Gypsum Panels 1/2" SHEETROCK® Brand Mold Tough™ FIRECODE® C Core Gypsum Panels 5/8" SHEETROCK® Brand FIRECODE® C Core Gypsum Panels 5/8" SHEETROCK® Brand Mold Tough™ FIRECODE® C Core Gypsum Panels
AR	5/8" SHEETROCK® Brand Abuse-Resistant FIRECODE® Core Gypsum Panels 5/8" SHEETROCK® Brand Mold Tough™ Abuse-Resistant FIRECODE® Core Gypsum Panels
SLX	1" SHEETROCK® Brand Gypsum Liner Panels 1" SHEETROCK® Brand Mold Tough™ Gypsum Liner Panels 1" SHEETROCK® Brand Glass Mat Liner Panels
ULTRACODE	3/4" SHEETROCK® Brand ULTRACODE® Core Gypsum Panels 3/4" SHEETROCK® Brand Mold Tough™ ULTRACODE® Core Gypsum Panels
SHX	5/8" SHEETROCK® Brand FIRECODE® Core Gypsum Sheathing
FRX-G	5/8" FIBEROCK® Brand Abuse-Resistant Gypsum Fiber Interior Panels 5/8" FIBEROCK® Brand VHI Abuse-Resistant Gypsum Fiber Interior Panels 5/8" FIBEROCK® Brand Aqua-Tough™ Gypsum Fiber Interior Panels 5/8" FIBEROCK® Brand Aqua Tough™ Gypsum Fiber Tile Backerboard 5/8" SECUROCK® Roof Board
IP-X1	5/8" IMPERIAL® Brand FIRECODE® Core Plaster Base
IP-X2	1/2" IMPERIAL® Brand FIRECODE® C Core Plaster Base 5/8" IMPERIAL® Brand FIRECODE® C Core Plaster Base
RLX	3/8" ROCKLATH® Brand FIRECODE® Gypsum Lath
USGX	5/8" SECUROCK® Brand FIRECODE® Glass Mat Sheathing

This document may be revised or withdrawn from circulation at any time. The status of the document should be verified by the user prior to following any recommendations contained herein. To verify that you have the most current edition of the document, access the Gypsum Association website at: [www.gypsum.org](http://www.gypsum.org).

## **Gypsum Association Members 2010**

**American Gypsum Company LLC  
CertainTeed Gypsum, Inc.  
CertainTeed Gypsum Canada, Inc.  
CGC Inc.  
Georgia-Pacific Gypsum LLC  
Lafarge North America  
National Gypsum Co.  
PABCO® Gypsum  
a division of PABCO Building Products, LLC  
Temple-Inland  
United States Gypsum Co.**



### **GYPSUM ASSOCIATION**

6525 BELCREST ROAD, SUITE 480  
HYATTSVILLE, MD 20782  
301-277-8686  
Fax: 301-277-8747  
E-mail: [infor@gypsum.org](mailto:infor@gypsum.org)  
<http://www.gypsum.org>