

PROPRIETARY GYPSUM PANEL PRODUCTS FOR **USE IN UL CLASSIFIED SYSTEMS**

(GA-605) Rev. March 27, 2012

The Fire Resistance Directory published by Underwriters Laboratories Inc. lists gypsum panel products that are classified for fire resistance under category "Gypsum Board (CKNX)." Each UL Design lists the specific manufacturers and products that are suitable for use in the design. The products are identified with a Type designation that ties back to specific board formulations. The UL Type designation appears on the UL label on the product. However, gypsum board end tapes and product literature do not generally contain the UL type designation but a product name or trademark. The following tables provide a quick and easy reference to identify the specific products, brand names, or trademarks of each gypsum board manufacturer for each type designation in the UL Directory.

| COMPANY NAME | PAGE |
|--|-------------|
| American Gypsum Company LLC | 1 |
| CertainTeed Gypsum Inc./CertainTeed Gypsum Canada Inc. | 2 |
| Georgia Pacific Gypsum LLC | 3 |
| Lafarge North America Inc. | 3 |
| National Gypsum Company | 4 |
| PABCO Gypsum | 4 |
| Temple-Inland | 5 |
| United States Gypsum Company/CGC Inc. | 6 |

| American Gypsum Company LLC | |
|-----------------------------|---|
| UL Type Designation | Product Name |
| AG-C | 1/2" FireBloc® Type C 5/8" FireBloc® Type C 5/8" FireBloc® Type C Soffit 1/2" M-Bloc® Type C with Mold Resistance 5/8" M-Bloc® Type C with Mold Resistance |
| AGX-1, AGX-11 | 5/8" FireBloc® Type X 5/8" AquaBloc® Type X 5/8" Exterior Sheathing Type X 5/8" Soffit Type X 5/8" Veneer Type X 5/8" SmoothRoc® Type X 5/8" M-Bloc® Type X with Mold Resistance 5/8" M-Bloc® AR Type X Abuse and Mold Resistance 5/8" M-Bloc® IR Type X Impact and Mold Resistance |
| AG-S | 1" Shaft Liner 1" M-Bloc [®] Shaft Liner with Mold Resistance |
| AG-CP | 1/2" FireBloc® CP Gypsum Lay-In Ceiling Panels |
| M-Glass | 5/8" M-Glass TM Type X Sheathing |

| CertainTeed Gypsum, Inc./CertainTeed Gypsum Canada Inc. | | |
|---|---|--|
| UL Type Designation | Product Name | |
| Type X | 5/8" CertainTeed® Type X 5/8" CertainTeed® Moisture Resistant Type X 5/8" CertainTeed® Sheathing Treated Core Type X 5/8" CertainTeed® Abuse Resistant Type X 5/8" CertainTeed® Veneer Plaster Base Type X 5/8" CertainTeed® 54" Type X 5/8" CertainTeed® Evenwall Type X 5/8" CertainTeed® Exterior Soffit Type X 5/8" M2Tech® Type X 5/8" M2Tech® Extra Abuse 5/8" AirRenew® Type X 5/8" AirRenew® Extreme Impact Resistance | |
| Туре С | 1/2" CertainTeed® Type C 1/2" CertainTeed® Moisture Resistant Type C 1/2" CertainTeed® Sheathing Treated Core Type C 1/2" CertainTeed® Veneer Plaster Base Type C 1/2" CertainTeed® Exterior Soffit Type C 1/2" CertainTeed® Abuse Resistant Type C 1/2" M2Tech® Type C 5/8" CertainTeed® Moisture Resistant Type C 5/8" CertainTeed® Moisture Resistant Type C 5/8" CertainTeed® Sheathing Treated Core Type C 5/8" CertainTeed® Veneer Plaster Base Type C 5/8" CertainTeed® Exterior Soffit Type C 5/8" M2Tech® Type C | |
| Moisture Resistant Type X | 5/8" CertainTeed [®] Moisture Resistant Type X 5/8" M2Tech [®] Type X | |
| Moisture Resistant Type C | 1/2" CertainTeed [®] Moisture Resistant Type C 1/2" M2Tech [®] Type C 5/8" CertainTeed [®] Moisture Resistant Type C 5/8" M2Tech [®] Type C | |
| SilentFX | 5/8" SilentFX TM | |
| EGRG or GlasRoc | 5/8" GlasRoc [®] Sheathing 5/8" GlasRoc [®] Diamondback TM Tile Backer Type X | |
| Shaftliner | 1" CertainTeed [®] Shaftliner 1" M2Tech [®] Shaftliner | |
| Abuse-Resistant | 1/2" CertainTeed [®] Abuse Resistant Board 5/8" CertainTeed [®] Abuse Resistant Board | |
| GlasRoc Shaftliner | 1" GlasRoc® Shaftliner | |
| | | |

| Georgia Pacific Gypsum LLC | |
|----------------------------|--|
| UL Type Designation | Product Name |
| Type 5 | 1/2" ToughRock [®] Fireguard C [®] Gypsum Board 5/8" ToughRock [®] Fireguard C [®] Gypsum Board |
| Type 6 | 5/8" ToughRock [®] Mold-Guard™ Type X Gypsum Board |
| Type 9 | 5/8" ToughRock [®] Fireguard [®] Gypsum Board 5/8" ToughRock [®] Fireguard [®] Soffit Board 5/8" ToughRock [®] Fireguard [®] Veneer Plaster Base 5/8" ToughRock [®] Fireguard [®] Abuse-Guard [®] Gypsum Board |
| Type DGG | 5/8" DensGlass® Fireguard® Sheathing |
| Type DD | 5/8" DensDeck [®] Fireguard [®] Roof Board 5/8" DensDeck [®] Prime Fireguard [®] Roof Board 5/8" DensDeck [®] DuraGuard Fireguard [®] Roof Board |
| Type DS | 5/8" DensShield [®] Fireguard [®] Tile Backer |
| Type DAP | 5/8" DensArmor Plus [®] Fireguard [®] High-Performance Interior Panel 5/8" DensArmor Plus [®] Fireguard [®] Abuse-Resistant Interior Panel 5/8" DensArmor Plus [®] Fireguard [®] Impact-Resistant Interior Panel |
| Type DAPC | 1/2" DensArmor Plus [®] Fireguard C [®] Interior Panel 5/8" DensArmor Plus [®] Fireguard C [®] Interior Panel |
| Type DGUSL | 1" DensGlass® Shaftliner Panel |

| Lafarge North America Inc. | |
|----------------------------|---|
| UL Type Designation | Product Name |
| Type LGFC-C/A | 1/2" Firecheck [®] Type C 5/8" Firecheck [®] Type C |
| Type LGFC2A | 5/8" Mold Defense [®] Type X |
| Type LGFC6A | 5/8" Firecheck® Type X 5/8" Firecheck® Plasterbase Type X 5/8" Firecheck® Soffitboard Type X 5/8" Protecta® AR 100 with Mold Defense® Type X 5/8" Protecta® HIR 300 with Mold Defense® Type X 5/8" Rapid Deco® Level 5 Type X |
| Type LGFC-WD | 5/8" Weather Defense Platinum [®] Sheathing Type X 5/8" Weather Defense Platinum [®] Interior Type X |
| Type LGFCSL | 1" Shaftliner Type X 1" Mold Defense[®] Shaftliner Type X 1" Weather Defense Platinum[®] Shaftliner Type X |

| National Gypsum Company | |
|-------------------------|---|
| UL Type Designation | Product Name |
| Type FSK | 5/8" Kal-Kore [®] Brand Fire-Shield [®] Plaster Base, Type X |
| Type FSK-C | 1/2" Kal-Kore [®] Brand Fire-Shield C TM Plaster Base, Type C 5/8" Kal-Kore [®] Brand Fire-Shield C TM Plaster Base, Type C |
| Type FSL | 5/8" Gold Bond [®] Brand High Strength Fire-Shield [®] Lite™, Type X |
| Type FSMR-C | 1/2" Gold Bond [®] Brand XP [®] Fire-Shield C TM Gypsum Board, Type C 5/8" Gold Bond [®] Brand XP [®] Fire-Shield C TM Gypsum Board, Type C |
| Type FSW | 5/8" Gold Bond® Brand Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Fire-Shield® Exterior Soffit Board, Type X 5/8" Gold Bond® Brand Hi Abuse® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Sta-Smooth® Fire-Shield® Gypsum Board, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner®, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner XP®, Type X |
| Type FSW-C | 1/2" Gold Bond [®] Brand Fire-Shield C TM Gypsum Board, Type C 1/2" Gold Bond [®] Brand Sta-Smooth [®] Fire-Shield C TM Gypsum Board, Type C 5/8" Gold Bond [®] Brand Fire-Shield C TM Gypsum Board, Type C 5/8" Gold Bond [®] Brand Sta-Smooth [®] Fire-Shield C TM Gypsum Board, Type C |
| Type FSW-G | 1/2" Gridstone Brand Ceiling Panels 1/2" Gridstone Brand CleanRoom Ceiling Panels |
| Type FSW-3 | 5/8" Gold Bond [®] Brand Fire-Shield [®] Gypsum Sheathing, Type X 5/8" Gold Bond [®] Brand XP [®] Fire-Shield [®] Gypsum Board, Type X |
| Type FSW-5 | 5/8" Gold Bond® Brand Hi-Impact® XP® Fire-Shield® Gypsum Board, Type X |
| Type FSW-6 | 5/8" Gold Bond® Brand e² XP® Extended Exposure Sheathing, Type X 5/8" Gold Bond® Brand e² XP® Interior Extreme® Gypsum Panel, Type X 5/8" Gold Bond® Brand e² XP® Fire-Shield® Tile Backer, Type X 5/8" Gold Bond® Brand e² XP® Interior Extreme® IR Gypsum Panel, Type X 5/8" Gold Bond® Brand e² XP® Interior Extreme® AR Gypsum Panel, Type X |
| Type FSW-7 | 1" Gold Bond [®] Brand e ² XP [®] Extended Exposure Shaftliner, Type X |
| Type SoundBreak XP | 5/8" Gold Bond® Brand SoundBreak® XP® Gypsum Board, Type X |
| Type FSL | 5/8" Gold Bond® Brand High Strength Fire-Shield® LITE Gypsum Board, Type X |

| PABCO Gypsum | |
|---------------------|--|
| UL Type Designation | Product Name |
| PG-3 | PABCO [®] 1/2" FLAME CURB [®] Gypsum Wallboard Type XXX PABCO [®] 1/2" Gypsum Soffit Board Type XXX |
| PG-C | PABCO® 1/2" FLAME CURB® Super 'C' Gypsum Wallboard Type PG-C |
| Type C | PABCO® 5/8" FLAME CURB® Super 'C' Gypsum Wallboard Type C |
| PG-5W | PABCO [®] 5/8" WATER CURB [®] Gypsum Board Type X PABCO [®] 5/8" MOLD CURB [®] Plus Type X PABCO [®] 5/8" ABUSE CURB TM Type X |
| PG-5WS | PABCO® 5/8" Gypsum Sheathing Type X |
| PG-10 | PABCORE® 1" Gypsum Shaftliner Board Type X PABCORE® 1" MOLD CURB® Plus Gypsum Shaftliner Board Type X |
| PG-11 | PABCO [®] 5/8" Gypsum Soffit Board Type X PABCO [®] 5/8" FLAME CURB [®] Gypsum Wallboard Type X |

| Temple-Inland | |
|----------------------|--|
| UL Type Designation | Product Name |
| Fire Rated Type TG-C | 1/2" Fire-Rated Gypsum Wallboard 1/2" Fire-Rated Stretch 54 1/2" Fiore-Rated Foil-Back 5/8" Fire-Rated Gypsum Wallboard 5/8" Fire-Rated Stretch 54 5/8" Fire-Rated Foil-Back 5/8" Fire-Rated Veneer Plaster Base 5/8" Fire-Rated Exterior Gypsum Soffit Board |
| Fire Rated Type X | 5/8" Fire-Rated Gypsum Wallboard 5/8" Fire-Rated Stretch 54 5/8" Fire-Rated Foil-Back 5/8" Fire-Rated Veneer Plaster Base 5/8" Fire-Rated Water Resistant Gypsum Backing Board 5/8" Fire-Rated Gypsum Sheathing Board 5/8" Fire-Rated Exterior Gypsum Soffit Board 5/8" Fire-Rated ComfortGuard AR 5/8" Fire-Rated ComfortGuard IR 5/8" Fire-Rated Structguard TS Sheathing 5/8" Fire-Rated Comfort Guard 5/8" ComfortGuard Sound Deadening Gypsum Board 5/8" GreenGlass Sheathing 5/8" GreenGlass Interior Board 5/8" GreenGlass Tile Backer 5/8" GreenGlass Roof Board |
| Type TP6 | 1" Silent Guard Shaftliner 1" GreenGlass Shaftliner |

| | United States Gypsum Company/CGC Inc. | |
|---------------------|---|--|
| UL Type Designation | Product Name | |
| FC30 | 5/8" SHEETROCK [®] Brand UltraLight Panels FIRECODE [®] 30 | |
| ULX | 5/8" SHEETROCK [®] Brand UltraLight Panels FIRECODE [®] X | |
| SCX | 5/8" SHEETROCK [®] Brand FIRECODE [®] Core Gypsum Panels 5/8" SHEETROCK [®] Brand Mold Tough TM FIRECODE [®] Core Gypsum Panels | |
| С | 1/2" SHEETROCK [®] Brand FIRECODE [®] C Core Gypsum Panels 1/2" SHEETROCK [®] Brand Mold Tough [™] FIRECODE [®] C Core Gypsum Panels 5/8" SHEETROCK [®] Brand FIRECODE [®] C Core Gypsum Panels 5/8" SHEETROCK [®] Brand Mold Tough [™] FIRECODE [®] C Core Gypsum Panels | |
| AR | 5/8" SHEETROCK [®] Brand Abuse-Resistant FIRECODE [®] Core Gypsum Panels 5/8" SHEETROCK [®] Brand Mold Tough TM Abuse-Resistant FIRECODE [®] Core Gypsum Panels | |
| SLX | 1" SHEETROCK [®] Brand Gypsum Liner Panels 1" SHEETROCK [®] Brand Mold Tough TM Gypsum Liner Panels 1" SHEETROCK [®] Brand Glass Mat Liner Panels | |
| ULTRACODE | 3/4" SHEETROCK [®] Brand ULTRACODE [®] Core Gypsum Panels 3/4" SHEETROCK [®] Brand Mold Tough TM ULTRACODE [®] Core Gypsum Panels | |
| SHX | 5/8" SHEETROCK® Brand FIRECODE® Core Gypsum Sheathing | |
| FRX-G | 5/8" FIBEROCK [®] Interior Panels, Abuse-Resistant 5/8" FIBEROCK [®] Interior Panels, Abuse-Resistant VHI 5/8" FIBEROCK [®] Aqua-Tough TM Interior Panels 5/8" FIBEROCK [®] Aqua-Tough TM Tile Backerboard 5/8" SECUROCK [®] Roof Board | |
| IP-X1 | 5/8" IMPERIAL [®] Brand FIRECODE [®] Core Plaster Base | |
| IP-X2 | 1/2" IMPERIAL [®] Brand FIRECODE [®] C Core Plaster Base 5/8" IMPERIAL [®] Brand FIRECODE [®] C Core Plaster Base | |
| RLX | 3/8" ROCKLATH [®] Brand FIRECODE [®] Gypsum Lath | |
| USGX | 5/8" SECUROCK® Brand FIRECODE® Glass Mat Sheathing | |

To confirm that a specific product is suitable for the UL *Fire Resistance Directory*, verify that the product bears the full UL Classification Mark. The UL Mark is required to be on each product that complies with the UL Classification and Follow Up Service requirements. A UL Classification Mark for gypsum board (CKNX) should contain the following information:

UL symbol, the word "CLASSIFIED" above the UL symbol, and the following additional information:

GYPSUM BOARD

FIRE RESISTANCE CLASSIFICATION

DESIGN NO(S). ____

SEE UL FIRE RESISTANCE DIRECTORY

Issue No.

or

GYPSUM BOARD

FIRE RESISTANCE CLASSIFICATION SEE UL FIRE RESISTANCE DIRECTORY Issue No.

In addition to the UL Mark, each package or bundle of gypsum board will also contain a) the Classified company's name and/or "File No.," b) Type Designation, c) Nominal Thickness, and d) Factory ID.

UL does not reference trade names in the Classification information. Cross referencing the type designation on the product to the specified gypsum board in the UL *Fire Resistance Directory* is the only true way to verify the specified product is selected. The UL online directory is a free and up to date tool to reference UL *Fire Resistance Directory*'s and to confirm the specified gypsum board is suitable for use.

GYPSUM ASSOCIATION MEMBERSHIP 2012

American Gypsum Company LLC
CertainTeed Gypsum, Inc.
CertainTeed Gypsum Canada, Inc.
CGC Inc.
Georgia-Pacific Gypsum LLC
Lafarge North America Inc.
National Gypsum Company
PABCO® Gypsum
a division of PABCO® building products, LLC
Temple-Inland

United States Gypsum Company

GYPSUM ASSOCIATION

6

6525 BELCREST ROAD, SUITE 480 HYATTSVILLE, MD 20782 301-277-8686 Fax: 301-277-8747

Fax: 301-277-8747
E-mail: info@gypsum.org
http://www.gypsum.org

This document may be revised or withdrawn from circulation at any time. The status of the document should be verified by the user prior to following any recommendations contained herein. To verify that you have the most current edition of the document, access the Gypsum Association website at: www.gypsum.org.